

LONDON

In the "County of London" was formed out of parts of Middlesex, Essex, Kent, and Surrey. In this admin. area was extended to form "Greater London," taking in more parts of the countries mentioned above.

Allophane

London

Woolwich

Purley Downs

AMBER

LONDON

Kensington ~~grave~~ pits

Aragonte

London

Highgate

COPALINE

MIDDLESEX LONDON

Highgate

Richmond

SEMI-OPAL

?Moonhill Quarries

SOM

Glaucophane

London

Croydon (error for dumortierite)

GYPSUM

MIDDLESEX LONDON

Hornsey. ~~Here, Hornsey~~

Magnesian

London

Woolwich

OCHRE

SOM

Mendip Hills

CHARLTON, Woolwich, London

See WOOLWICH

1" 171

TQ 35 65

CROYDON, London (ex Surrey)

AW groves, MM (1928), 21, 489.

from the Blackheath
nr. Croydon (TQ 3565) is

The "glaucophane"
Beds at SHIRLEY,
dumontierite

TQ

28

87

29

87

HIGHGATE (ex Middlesex). London

TMH(1868), 64: "Copaline" in London clay. [= Copalite or
"Highgate Resin"]

Rutley (13th ed.) (1902), p. 75. Copaline in small films or
fragments in the London clay at Highgate Hill.

GeL (1858). Copaline, occasionally in blue
clay at HIGHGATE HILL

JW Frondel Nature (1967) 215 1360 X-ray work. "Highgate
resin or copaline" — contains -amyrin and
is therefore a fossil elemi.

A. Hall & W.J. Kennedy, Proc Roy Soc. (1967) B168 377

Aragonite in a fossil

TQ 30 86

HORNSEY ~~NANT~~ Hornsey (ex Middlesex), London

(gypsum)

H. Walker: "Rambles Round London" (1871), p 19. Selenite, in
workmen's diggings in Hornsey Lane. 30 86

1" 171

TQ 3 7

ISLE OF DOGS, London

37 78

37 79

38 78

38 79

GeL (1858): Vivianite, in mud.

TQ

25 80

KENSINGTON, London.

TMH (1868), 64. Amber in gravel pits. ("Middlesex" in 1868)

G2L (1858). Amber, in sand, "at Kensington near London"

old OS 1" map (1816) shows "Kensington Gravel Pits"
at 250 80 ~~4~~

NEW CHARLTON, Woolwich, London.

See WOOLWICH

PURLEY DOWNS, ^{" 170}(ex Surrey), ^{TQ}London ^{32 61}

BM: Allophane, glassy white massive.

1" 170 TQ 1 7
RICHMOND, London (ex Surrey)

W. Campbell Smith, MM(1913) 16, 331. Copaline
"in the great clay pit at Richmond", a
specimen from the Thomas Pennant Coll.

SHIRLEY, Croydon, London

See CROYDON

WOOLWICH, London. (Used to be Kent).

GeL (1858) Allophane, recently observed by Krantz from CHARLTON HILL CHALK PITS, near Woolwich. The allophane of NEW CHARLTON "lately analysed by AB Northcote (Phil Mag 4 xiii, 338)"

TMM (1868). NEW CHARLTON, Woolwich, Kent [Charlton is at 4278]: Allophane, in chalk.

GR (1998) Magnesite, white botry nod from CHARLTON (NHM spec, bought in 1865 as "aluminite"). Also ref to the allophane (1st Brit.)